

**BASIC**  
**AIR CONTAMINANT DISCHARGE PERMIT**

Lane Regional Air Protection Agency  
1010 Main Street  
Springfield, OR 97477  
Telephone: (541) 736-1056

This permit is being issued in accordance with the provisions of LRAPA's Rules and Regulations and based on the land use compatibility findings included in the permit record.

---

---

ISSUED TO:

**By the Bridge**  
P.O. Box Y  
Florence, Oregon 97439

INFORMATION RELIED UPON:

Application No.: 54694  
Date Received: February 10, 2010


PLANT SITE LOCATION:

1240 Bay Street  
Florence, Oregon 97439

LAND USE COMPATABILITY  
STATEMENT:

Approving Authority: City of Florence  
Approval Date: September 8, 1999

**ISSUED BY THE LANE REGIONAL AIR PROTECTION AGENCY**



Merlyn L. Hough, Director

APR 15 2010

Dated

---

---

Source(s) Permitted to Discharge Air Contaminants (LRAPA Title 37, Section 37-0020):

Table 1 Code	Source Description	SIC
Part A, 10	Coffee Roasting (roasting less than 30 tons per year)	2095

## **1.0 PERMIT ASSIGNMENT**

- 1.1 Qualifications** All of the following conditions must be met in order to qualify for assignment to this permit:
- a. The permittee is performing coffee roasting as described on the cover page of this permit, including supporting activities.
  - b. A General, Simple or Standard ACDP is not required for the source.
  - c. The source is not having ongoing, recurring or serious compliance problems.
- 1.2 Assignment** LRAPA will assign qualifying permittees to this permit that have and maintain a good record of compliance with the LRAPA's regulations and that LRAPA determines would be appropriately regulated by a Basic ACDP. LRAPA may rescind assignment if the permittee no longer meets the requirements of Section 37-0060 and the conditions of this permit.
- 1.3 Permitted Activities** The permittee is allowed to discharge air contaminants from processes and activities related to the air contaminant source(s) listed on the first page of this permit until this permit expires, is modified, revoked or rescinded as long as conditions of this permit are complied with. If there are other emissions activities occurring at the site besides those listed on the cover page of this permit, the permittee may be required to obtain a Standard Permit or additional General ACDPs, if applicable.

## **2.0 GENERAL EMISSION STANDARDS AND LIMITS**

- 2.1 Visible Emissions** The permittee must comply with the following visible emission limits, as applicable:
- a. Emissions from any air contaminant source must not equal or exceed 20% opacity for a period aggregating more than 3 minutes in any one hour.
- 2.2 Particulate Matter Emissions** Particulate matter emissions from any air contaminant source, other than fugitive emission sources, must not exceed 0.1 grains per dry standard cubic foot.
- 2.3 Fugitive Emissions** The permittee must take reasonable precautions for preventing fugitive dust emissions from becoming a nuisance, such as but not limited to:
- a. Treating vehicular traffic areas of the plant site under the

control of the permittee.

- b. Operating all air contaminant-generating processes so that fugitive type dust associated with the operation will be adequately controlled at all times.
- c. Storing collected materials from air pollution control equipment in a covered container or other method equally effective in preventing the material from becoming airborne during storage and transfer.

**2.4 Particulate Matter Fallout** The permittee must not cause or permit the emission of any particulate matter larger than 250 microns in size at sufficient duration or quantity, as to create an observable deposition upon the real property of another person. LRAPA will verify that the deposition exists and will notify the permittee that the deposition must be controlled.

**2.5 Nuisance and Odors** The permittee must not cause or allow air contaminants from any source to cause a nuisance. Nuisance conditions will be verified by LRAPA personnel.

### **3.0 OPERATION AND MAINTENANCE REQUIREMENTS**

**3.1 Rule Citation** LRAPA Title 32, Section 32-007 gives LRAPA the authority to require Operating, Maintenance, and Work Practice Requirements (See Condition 3.2) to ensure that the permittee is operating and maintaining air pollution control equipment at the highest reasonable efficiency and effectiveness to minimize emissions.

**3.2 Afterburner Operation** If the permittee has installed an afterburner to control odor or visible emissions, then the following conditions must be met:

- a. Gas effluents from process afterburners must be maintained at a temperature of 1,400°F for at least a 0.5-second residence time; or
- b. LRAPA approval to operate at a lower temperature; and
- c. The permittee must maintain and operate a continuous monitoring system for final combustion chamber temperature; and
- d. The monitoring system must be installed and operated in accordance with the manufacturer's instructions. The continuous temperature monitor and all associated equipment must be calibrated at least once per calendar year.

- 3.3 Annual Period** The annual plant site emissions limits apply to any 12-consecutive calendar month period.

## **4.0 RECORDKEEPING REQUIREMENTS**

- 4.1 Monitoring Requirements** The permittee must monitor and maintain records of the operation and maintenance of the plant and associated air contaminant control devices as follows:
- a. Amount of product roasted – tons per month
  - b. Amount of natural gas used – cubic feet per month
  - c. Temperature in the final combustion chamber - °F continuously
- 4.2 Operation and Maintenance** The permittee must maintain all records associated with continuous monitoring data, including, but not limited to, original data sheets, charts, calculations, calibration data, production records and final reports related to the operation and maintenance of the plant and associated air contaminant control devices.
- 4.3 Excess Emissions** The permittee must maintain records of excess emissions as defined in LRAPA Title 36 (recorded on occurrence). Typically, excess emissions are caused by process upsets, startups, shutdowns, or scheduled maintenance. In many cases, excess emissions are evident when visible emissions are greater than 20% opacity for 3 minutes or more in any 60 minute period.
- 4.4 Complaint log** The permittee must maintain a log of all written complaints and complaints received via telephone that specifically refer to air pollution concerns associated to the permitted facility. The log must include a record of the permittee's actions to investigate the validity of each complaint and a record of actions taken for complaint resolution.
- 4.5 Retention of Records** Unless otherwise specified, all records must be maintained on site for a period of two (2) years and will be made available to LRAPA upon request.

## **5.0 REPORTING REQUIREMENTS**

- 5.1 Excess Emissions** The permittee must notify LRAPA by telephone or in person of any excess emissions which are of a nature that could endanger public health.
- a. Such notice must be provided as soon as possible, but never more than one hour after becoming aware of the

problem. Notice must be made to the LRAPA office identified in Condition 6.3.

- b. If the excess emissions occur during non-business hours, the permittee must notify LRAPA by calling the Oregon Emergency Response System (OERS). The current number is 1-800-452-0311.
- c. The permittee must also submit follow-up reports when required by LRAPA.

**5.2 Annual Report**

The permittee must submit to LRAPA by **February 15** of each year this permit is in effect, two (2) copies of the following information for the preceding calendar year:

- a. Operating parameters:
  - i. Amount of product roasted (tons per calendar year)
  - ii. Highest amount of product roasted (tons per 12-month period)
  - iii. Amount of natural gas used (therms or cubic feet per calendar year)
  - iv. Highest amount of natural gas used (therms or cubic feet per 12-month period)
- b. Records of all planned and unplanned excess emissions events.
- c. Summary of complaints relating to air quality received by permittee during the year.
- d. List permanent changes made in plant process, production levels, and pollution control equipment which affected air contaminant emissions.
- e. List major maintenance performed on pollution control equipment.

**5.3 Initial Startup Notice**

The permittee must notify LRAPA in writing of the date a new facility is started up. The notification must be submitted no later than seven (7) days after startup.

**5.4 Notice of Change of Ownership or Company Name**

The permittee must notify LRAPA in writing using a LRAPA "Permit Application Form" within 60 days after the following:

- a. Legal change of the name of the company as registered with the Corporations Division of the State of Oregon; or
- b. Sale or exchange of the activity or facility.

**5.5 Construction or**

The permittee must notify LRAPA in writing using a LRAPA

**Modification  
Notices**

“Notice of Construction Form,” or “Permit Application Form,” and obtain approval in accordance with LRAPA Title 34 Section 34-010 through 34-038 before:

- a. Constructing or installing any new source of air contaminant emissions, including air pollution control equipment;
- b. Modifying or altering an existing source that may significantly affect the emission of air contaminants;
- c. Making any physical change which increases emissions; or
- d. Changing the method of operation, the process, or the fuel use, or increasing the normal hours of operation that result in increased emissions.

**5.6 Where to Send  
Reports and  
Notices**

The reports, with the permit number prominently displayed, must be sent to the Permit Coordinator as identified in Condition 6.2.

**6.0 ADMINISTRATIVE REQUIREMENTS**

**6.1 Reassignment to  
the Basic Permit**

A complete application for reassignment to this permit is due within 60 days after the permit is reissued. LRAPA will notify the permittee when the permit is reissued.

- a. If LRAPA is delinquent in renewing the permit, the existing permit will remain in effect and the permittee must comply with the conditions of the permit until such time that the permit is reissued and the source is reassigned to the permit.
- b. The permittee may submit an application for either a General, Simple or Standard ACDP at any time, but the permittee must continue to comply with the Basic ACDP until LRAPA takes final action on the General, Simple or Standard ACDP application.
- c. If a complete application for reassignment to the Basic ACDP or General, Simple or Standard ACDP is filed with LRAPA in a timely manner, the permit will not be deemed to expire until final action has been taken on the application.

**6.2 Permit  
Coordinator  
Address**

All reports, notices, and applications should be directed to the Permit Coordinator. The Permit Coordinator address is as follows:

Lane Regional Air Protection Agency  
1010 Main Street  
Springfield, OR 97477  
Telephone: (541) 736-1056

- 6.3 LRAPA Contacts** Information about air quality permits and the LRAPA's Rules and Regulations may be obtained from the LRAPA web page at [www.lrapa.org](http://www.lrapa.org). All inquiries about this permit should be directed to the LRAPA office for the area where the source is located. The LRAPA's office as identified in Condition 6.2.

## **7.0 FEES**

- 7.1 Annual Compliance Fee** The Annual Compliance Determination Fee specified in LRAPA Title 37, Section 37-0090, Table 2, Part 2(c) for a Class Two General ACDP is due on **December 1** of each year this permit is in effect. An invoice indicating the amount, as determined by LRAPA regulations, will be mailed prior to the above date.
- 7.2 Change of Ownership or Company Name Fee** The non-technical permit modification fee specified in LRAPA Title 37, Section 37-0090, Table 2, Part 3(a) is due with an application for changing the ownership or the name of the company of a source assigned to this permit.
- 7.3 Where to Submit Fees** Fees must be submitted to:  
Lane Regional Air Protection Agency  
1010 Main Street  
Springfield, OR 97477  
Telephone: (541) 736-1056

## **8.0 GENERAL CONDITIONS AND DISCLAIMERS**

- 8.1 Other Regulations** In addition to the specific requirements listed in this permit, the permittee must comply with all other legal requirements enforceable by LRAPA.
- 8.2 Conflicting Conditions** In any instance in which there is an apparent conflict relative to conditions in this permit, the most stringent conditions apply.
- 8.3 Masking of Emissions** The permittee must not cause or permit the installation of any device or use any means designed to mask the emissions of an air contaminant that causes or is likely to cause detriment to health, safety, or welfare of any person or otherwise violate any other regulation or requirement.
- 8.4 LRAPA Access** The permittee must allow the LRAPA's representatives access to

the plant site and pertinent records at all reasonable times for the purposes of performing inspections, surveys, collecting samples, obtaining data, reviewing and copying air contaminant emissions discharge records and conducting all necessary functions related to this permit in accordance with ORS 468-095.

- 8.5 Permit Availability** The permittee must have a copy of the permit available at the facility at all times.
- 8.6 Open Burning** The permittee may not conduct any open burning except as allowed by LRAPA Title 47.
- 8.7 Asbestos** The permittee must comply with the asbestos abatement requirements in LRAPA Title 43 for all activities involving asbestos-containing materials, including, but not limit to, demolition, renovation, repair, construction, and maintenance.
- 8.8 Property Rights** The issuance of this permit does not convey any property rights in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of federal, state, or local laws or regulations.
- 8.9 Termination, Revocation, or Modification** LRAPA may modify or revoke this permit pursuant to LRAPA Title 37, Section 37-0060(3) and (4).

## 9.0 ABBREVIATIONS, ACRONYMS, AND DEFINITIONS

ACDP	Air Contaminant Discharge Permit	NSR	New Source Review
ASTM	American Society for Testing and Materials	O <sub>2</sub>	oxygen
AQMA	Air Quality Maintenance Area	OAR	Oregon Administrative Rules
calendar year	The 12-month period beginning January 1st and ending December 31st	ORS	Oregon Revised Statutes
CFR	Code of Federal Regulations	O&M	operation and maintenance
CO	carbon monoxide	Pb	lead
DEQ	Oregon Department of Environmental Quality	PCD	pollution control device
dscf	dry standard cubic foot	PM	particulate matter
EPA	US Environmental Protection Agency	PM <sub>10</sub>	particulate matter less than 10 microns in size
FCAA	Federal Clean Air Act	ppm	part per million
gal	gallon(s)	PSD	Prevention of Significant Deterioration
gr/dscf	grains per dry standard cubic foot	PSEL	Plant Site Emission Limit
HAP	Hazardous Air Pollutant as defined by LRAPA Title 44	PTE	Potential to Emit
ID	identification number	RACT	Reasonably Available Control Technology
I&M	inspection and maintenance	scf	standard cubic foot
lb	pound(s)	SER	Significant Emission Rate
MMBtu	million British thermal units	SIC	Standard Industrial Code
NA	not applicable	SIP	State Implementation Plan
NESHAP	National Emissions Standards for Hazardous Air Pollutants	SO <sub>2</sub>	sulfur dioxide
NO <sub>x</sub>	nitrogen oxides	Special Control Area	as defined in LRAPA Title 29
NSPS	New Source Performance Standard	VE	visible emissions
		VOC	volatile organic compound
		year	A period consisting of any 12-consecutive calendar months

cac/cd/msf:7/25/01  
 Basic, coffee roasters  
 Max 4/5/07  
 JM 1/27/2010

Lane Regional Air Protection Agency

**BASIC  
 AIR CONTAMINANT DISCHARGE  
 REVIEW REPORT**

By the Bridge  
 1240 Bay Street  
 Florence, Oregon 97439  
 (541) 997-3443

Reports			NSPS	Size	Public Notice
Annual	Semi-annual	Excess Emissions			
x	N/A	x	N/A	N/A	1

1. The proposed permit is a new permit for an existing source.
2. The proposed permit is a renewal for an existing Air Contaminant Discharge Permit (ACDP) which was issued on February 28, 2005 and was originally scheduled to expire on February 27, 2010. The old ACDP is being converted to a Basic ACDP in accordance with the rules adopted October 14, 2008.
3. The permittee operates a coffee roasting facility.
4. This facility qualifies for a Basic ACDP because the production will be less than 30 tons per year.
5. The source is located in an attainment area for all pollutants.
6. LRAPA has determined that sources that qualify for a Basic ACDP will not have significant emissions. In most cases the emission will not exceed 5 tons of PM or PM<sub>10</sub> or 10 tons of any other pollutant. Therefore, the Basic ACDP does not include Plant Site Emission Limits and it is not necessary to estimate emissions for each individual source.
7. Pursuant to LRAPA Section 37-0056(4), issuance of a new or renewed Basic Air Contaminant Discharge Permit requires public notice in accordance with LRAPA Section 31-0030(3)(a). Therefore, there will be no prior notice or public participation. However, LRAPA will maintain a list of all permit actions processed under Category I and make the list available for public review.