

Lane Regional Air Pollution Authority  
Minimal Source Air Contaminant Discharge Permit

REVIEW REPORT

Fore Lumber, LLC

Permit No. 202428

PERMITTING

**Permitting Action**

1. The permittee is a new facility applying for a new Air Contaminant Discharge Permit (ACDP).

**Other Permits**

2. No other permits have been issued or are required by LRAPA for this facility.

**Attainment Status**

3. The facility is located in an attainment area for all pollutants.

SOURCE DESCRIPTION

**Overview**

4. The facility operates a sawmill at 82946 Butte Road in Creswell. The facility controls PM (particulate matter)/PM<sub>10</sub> emissions by the use of two (2) cyclones. Total annual production of finished product for the facility is less than 25,000 board feet per shift. Baseline Emissions were not set in the permit because the facility is well below the Significant Emission Rates (SER) as listed in Title 38 of LRAPA's Rules and Regulations. The facility operates 2,400 hours per year (8 hours per day, 5 days per week, 40 weeks per year).

**Process and Control Devices**

5. Existing air contaminant sources at the facility consist of the following:
  - a. Sawmill operation
  - b. Two (2) cyclones

EMISSIONS

6. The pollutant(s) of concern associated with this source type are PM/PM<sub>10</sub>. Emissions of PM/PM<sub>10</sub> are estimated to be approximately 0.5 tons per year. The other criteria pollutants are emitted at negligible

levels. Emission calculation details are included in the Attachment to this Review Report.

**MINIMAL PERMIT DETERMINATION**

7. LRAPA has determined that the facility qualifies as a minimal source for the following reason:
  - a. Emissions from this facility are estimated to be less than 5 tons per year of particulate matter and less than 10 tons per year for the criteria gaseous pollutants.

**SPECIAL CONDITIONS**

8. There are no special conditions specified in the permit.

**NESHAPS/MACT APPLICABILITY**

9. There are no sources at this facility for which NESHAPS/MACT standards have been promulgated.

**NSPS APPLICABILITY**

10. There are no sources at this facility for which NSPS standards have been promulgated.

**PUBLIC NOTICE**

11. This draft permit was on public notice from April 17, 2003, to May 19, 2003. No written comments were received during the 30-day comment period.

DJ/bp  
5/27/03