

**BASIC
AIR CONTAMINANT DISCHARGE PERMIT**

Lane Regional Air Protection Agency
1010 Main Street
Springfield, OR 97477
(541) 736-1056

This permit is being issued in accordance with the provisions of LRAPA's Rules and Regulations and based on the land use compatibility findings included in the permit record.

ISSUED TO:

Davis Cabinets, Inc.
150 East 10th Avenue- POB 545
Junction City, Oregon 97448

INFORMATION RELIED UPON:

Application No.: 57864
Date Received: October 23, 2012

PLANT SITE LOCATION:

150 East 10th Avenue
Junction City, Oregon 97448

**LAND USE COMPATIBILITY
STATEMENT:**

Approving Authority: Junction City
Approval Date: September 18, 2000

ISSUED BY THE LANE REGIONAL AIR PROTECTION AGENCY



Merlyn L. Hough, Director

DEC 14 2012]

Dated

Source(s) Permitted to Discharge Air Contaminants (LRAPA Title 37, Section 37-0020):

Table 1 Code	Source Description	SIC
Part A, 10	Sawmills and/or Planing Mills, including millwork, of less than 25,000 bd.f./maximum 8 hr. finished product	2421

1.0 STATEMENT OF PURPOSE

- 1.1 Permitted Activities** The permittee is allowed to discharge air contaminants from processes and activities related to the air contaminant source(s) listed on the first page of this permit until this permit expires, is modified, revoked or rescinded as long as the permittee complies with the conditions of this permit.

2.0 GENERAL EMISSION STANDARDS AND LIMITS

- 2.1 Visible emission limits** Emissions from any air contaminant source must not exceed an opacity equal to or greater than 20% for a period aggregating more than 3 minutes in any one hour. "Opacity" means the degree to which an emission reduces transmission of light and obscures the view of an object in the background.

- 2.2 Fugitive Emissions** The permittee must take reasonable precautions for preventing particulate matter from becoming airborne including, but not limited to, the prompt removal from paved streets of earth or other material which does or may become airborne.

- 2.3 Particulate Matter Fallout** The permittee must not cause or permit the emission of any particulate matter larger than 250 microns in size at sufficient duration or quantity, as to create an observable deposition upon the real property of another person. LRAPA will verify that the deposition exists and will notify the permittee that the deposition must be controlled.

- 2.4 Nuisance and Odors** The permittee must not cause or allow air contaminants from any source to cause a nuisance. Nuisance conditions will be verified by LRAPA personnel.

- 2.5 Other Regulations** In addition to the specific requirements listed in this permit, the permittee must comply with all other legal requirements enforceable by LRAPA.

RECORDKEEPING AND REPORTING REQUIREMENTS

- 2.6 Construction or Modification Notices** The permittee must notify LRAPA before adding new or modifying existing equipment to the extent that process equipment is substantially changed or added to, or emissions are significantly changed or increased.
- 2.7 Notice of Change of Ownership or Company Name** The permittee must promptly notify LRAPA of any change of mailing address, company name, or plant ownership. The permit will expire 60 days after a change in the legal entity owning/operating the facility unless application, with appropriate fees, is made to transfer the permit to the new entity.
- 2.8 Where to Send Reports and Notices** The reports and notices, with the permit number prominently displayed, must be sent to the LRAPA office identified on the cover page of the permit.
- 2.9 Production Records** *By the 15th of each month* the permittee shall record board feet (BF) cabinet production and records all VOC containing coatings in gallons. Records shall be kept for a minimum of five years.
- 2.10 Annual Reports** *By the February 15th of each year* the permittee shall report board feet (BF) cabinet production and VOC containing coatings usage in gallons. Records shall be kept for a minimum of five years.
- 3.0 Fees**
- 3.1 Fees** The Annual Fee specified in LRAPA Title 37, Section 37-0020, Table 2, Part 2 for a Basic ACDP is due on **December 1** of each year this permit is in effect. An invoice indicating the amount, as determined by LRAPA regulations, will be mailed prior to the above date.

4.0 GENERAL CONDITIONS

- 4.1 Masking of Emissions** The permittee must not cause or permit the installation of any device or use any means designed to mask the emissions of an air contaminant that causes or is likely to cause detriment to health, safety, or welfare of any person or otherwise violate any other regulation or requirement.
- 4.2 Open Burning** The permittee may not conduct any open burning except when approved by LRAPA in advance.
- 4.3 Asbestos** All activities involving asbestos-containing materials, including, but not limit to, demolition, renovation, repair, construction, and maintenance must be performed by persons certified for asbestos abatement projects. Accumulation of asbestos containing material is prohibited.
- 4.4 Permit Availability** The permittee must have a copy of the permit available at all times.
- 4.5 LRAPA Inspections** The permittee must allow LRAPA's representatives access to the plant site and pertinent records at all reasonable times for the purposes of performing inspections, surveys, collecting samples, obtaining data, reviewing and copying air contaminant emissions discharge records and conducting all necessary functions related to this permit.
- 4.6 Legal Disclaimers** The issuance of this permit does not convey any property rights in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of federal, state, or local laws or regulations.
- 4.7 Permit Revocation** This permit is subject to revocation for cause.
- 4.8 LRAPA Contact** Call the LRAPA office in Springfield at (541) 736-1056.

Max 12/14/12

Lane Regional Air Protection Agency

**BASIC
 AIR CONTAMINANT DISCHARGE PERMIT
 REVIEW REPORT**

Davis Cabinets, Inc.
 150 East 10th Avenue – PO Box 545
 Junction City, Oregon 97448
 541-998-8778

Reports			NSPS	Size	Public Notice
Annual	Semi-annual	Excess Emissions			
February 15th	N/A	x	N/A	N/A	1

1. The proposed permit is change for an existing General Air Contaminant Discharge Permit (ACDP) to a Basic ACDP. Board feet production levels have decreased such that the facility qualifies and has applied for the < 25,000 board feet per shift millwork category.
2. The permittee operates a cabinet manufacturing facility.
3. This facility qualifies for a Basic ACDP because the maximum 8-hour production rate is less than 25,000 board feet.
4. The source is located in an attainment area for all pollutants.
5. LRAPA has determined that sources that qualify for a Basic ACDP will not have significant emissions. In most cases the emission will not exceed 5 tons of PM or PM₁₀ or 10 tons of any other pollutant. Therefore, the Basic ACDP does not include Plant Site Emission Limits and it is not necessary to estimate emissions for each individual source.
6. Pursuant to LRAPA Section 37-0056(4), issuance of a new or renewed Basic Air Contaminant Discharge Permit requires public notice in accordance with LRAPA Section 31-0030(3)(a). Therefore, there will be no prior notice or public participation. However, LRAPA will maintain a list of all permit actions processed under Category I and make the list available for public review.

max
 12/14/12