

**BASIC
AIR CONTAMINANT DISCHARGE PERMIT**

Lane Regional Air Protection Agency
1010 Main Street
Springfield, OR 97477
(541) 736-1056

This permit is being issued in accordance with the provisions of LRAPA's Rules and Regulations and based on the land use compatibility findings included in the permit record.

ISSUED TO:

Fuller Cabinets, Inc.
91 South Danebo Avenue
Eugene, Oregon 97402

INFORMATION RELIED UPON:

Application No.:64725
Date Received: January 22, 2019

PLANT SITE LOCATION:

91 South Danebo Avenue
Eugene, Oregon 97402

**LAND USE COMPATIBILITY
STATEMENT:**

Approving Authority: City of Eugene
Approval Date: January 27, 2016

ISSUED BY THE LANE REGIONAL AIR PROTECTION AGENCY



Merlyn L. Hough, Director

JAN 24 2019

Dated

Source(s) Permitted to Discharge Air Contaminants (LRAPA Section 37-0020):

Table 1 Code	Source Description	SIC
Part A.9	Millwork and/or wood furniture manufacturing less than 25,000 board feet per maximum 8 hr finished product	2541

**Addendum No. 2
Non-Technical Permit Modification**

In accordance with 37-0056(4) of LRAPA's Rules and Regulations, a change to the permittee name has been made to Basic Air Contaminant Discharge Permit (ACDP) No. 205195. With this addendum the name is changed from "McIntyre Construction, Inc. dba Fuller Cabinets" to "Fuller Cabinets, Inc."

**BASIC
AIR CONTAMINANT DISCHARGE PERMIT**

Lane Regional Air Protection Agency
1010 Main Street
Springfield, OR 97477
(541) 736-1056

This permit is being issued in accordance with the provisions of LRAPA's Rules and Regulations and based on the land use compatibility findings included in the permit record.

ISSUED TO:

McIntyre Construction, Inc.
dba **Fuller Cabinets**
91 South Danebo Avenue
Eugene, Oregon 97402

INFORMATION RELIED UPON:

Application No.: 61069
Date Received: December 21, 2015


PLANT SITE LOCATION:

91 South Danebo Avenue
Eugene, Oregon 97402

**LAND USE COMPATIBILITY
STATEMENT:**

Approving Authority: City of Eugene
Approval Date: January 27, 2016

ISSUED BY THE LANE REGIONAL AIR PROTECTION AGENCY



Meryn L. Hough, Director

FEB 18 2016

Dated

Source(s) Permitted to Discharge Air Contaminants (LRAPA Section 37-0020):

Table 1 Code	Source Description	SIC
Part A.9	Millwork and/or wood furniture manufacturing less than 25,000 board feet per maximum 8 hr finished product	2541

**Addendum No. 1
Non-Technical Permit Modification**

In accordance with 37-0056-4 of LRAPA's Rules and Regulations, a change to the address and Land Use Compatibility Statement (LUCS) has been made to Basic Air Contaminant Discharge Permit (ACDP) No. 205195. The address has been changed from 90472 Woodruff Street to 91 South Danebo Avenue in Eugene. The LUCS was also updated for the new location.

**BASIC
AIR CONTAMINANT DISCHARGE PERMIT**

Lane Regional Air Protection Agency
1010 Main Street
Springfield, OR 97477
(541) 736-1056

This permit is being issued in accordance with the provisions of LRAPA's Rules and Regulations and based on the land use compatibility findings included in the permit record.

ISSUED TO:

McIntyre Construction, Inc.
dba Fuller Cabinets
90472 Woodruff Street
Eugene, Oregon 97402

INFORMATION RELIED UPON:

Application No.: 58378
Date Received: April 11, 2013

PLANT SITE LOCATION:

90472 Woodruff Street
Eugene, Oregon 97402

**LAND USE COMPATIBILITY
STATEMENT:**

Approving Authority: City of Eugene
Approval Date: March 19, 2013

ISSUED BY THE LANE REGIONAL AIR PROTECTION AGENCY



Merlyn L. Hough, Director

MAY 10 2013

Dated

Source(s) Permitted to Discharge Air Contaminants (LRAPA Section 37-0020):

Table 1 Code	Source Description	SIC
Part A.9	Millwork and/or wood furniture manufacturing less than 25,000 board feet per maximum 8 hr finished product	2541

1.0 STATEMENT OF PURPOSE

- 1.1 Permitted Activities** The permittee is allowed to discharge air contaminants from processes and activities related to the air contaminant source(s) listed on the first page of this permit until this permit expires, is modified, revoked or rescinded as long as the permittee complies with the conditions of this permit.

2.0 EMISSION STANDARDS AND LIMITS

- 2.1 Production limits** The permittee is prohibited from using more than **250 gallons/month** total of VOC containing products and/or producing more than **25,000 board feet finished product per 8 hour input** without first notifying LRAPA.
- 2.2 Visible emission limits** Emissions from any air contaminant source must not equal or exceed 20% opacity for a period aggregating more than 3 minutes in any one hour. "Opacity" means the degree to which an emission reduces transmission of light and obscures the view of an object in the background.
- 2.3 Fugitive Emissions** The permittee must take reasonable precautions for preventing fugitive dust emissions.
- 2.4 Particulate Matter Fallout** The permittee must not cause or permit the emission of any particulate matter larger than 250 microns in size at sufficient duration or quantity, as to create an observable deposition upon the real property of another person. LRAPA will verify that the deposition exists and will notify the permittee that the deposition must be controlled.
- 2.5 Nuisance and Odors** The permittee must not cause or allow air contaminants from any source to cause a nuisance. Nuisance conditions will be verified by LRAPA personnel.
- 2.6 Other Regulations** In addition to the specific requirements listed in this permit, the permittee must comply with all other legal requirements enforceable by LRAPA.

3.0 RECORDKEEPING AND REPORTING REQUIREMENTS

- 3.1 Records** The permittee must maintain records of the information identified in Condition 3.2 for at least 2 years from the date of the record.
- 3.2 Reports** The permittee is required to report to LRAPA by **February 15th** of each year the following information:
- a. Maximum board feet of finished product per 8 hour input during the previous calendar year (bdf/shift);
 - b. Number of gallons of VOC containing coatings during the previous calendar year (gal/year);
 - c. Maintenance performed on the paint booth(s) including filter changes (description and date); and
 - d. Written log of all air quality or nuisance complaints and how each complaint was handled.
- 3.3 Permit Renewal** An application to renew the permit is due 60 days prior to the expiration date.
- 3.4 Construction or Modification Notices** The permittee must notify LRAPA before adding new or modifying existing equipment to the extent that process equipment is substantially changed or added to, or emissions are significantly changed or increased.
- 3.5 Notice of Change of Ownership or Company Name** The permittee must promptly notify LRAPA of any change of mailing address, company name, or plant ownership. The permit will expire 60 days after a change in the legal entity owning/operating the facility unless application, with appropriate fees, is made to transfer the permit to the new entity.
- 3.6 Where to Send Reports and Notices** The reports and notices, with the permit number prominently displayed, must be sent to the LRAPA office identified on the cover page of the permit.

4.0 FEES

- 4.1 Fees** The Annual Fee specified in LRAPA Section 37-0020, Table 2, Part 2 for a Basic ACDP is due on **December 1** of each year this permit is in effect. An invoice indicating the amount, as determined by LRAPA regulations, will be mailed prior to the above date.

5.0 GENERAL CONDITIONS

- 5.1 Masking of Emissions** The permittee must not cause or permit the installation of any device or use any means designed to mask the emissions of an air contaminant that causes or is likely to cause detriment to health, safety, or welfare of any person or otherwise violate any other regulation or requirement.
- 5.2 Open Burning** The permittee may not conduct any open burning except when approved by LRAPA in advance.
- 5.3 Asbestos** All activities involving asbestos-containing materials, including, but not limited to, demolition, renovation, repair, construction, and maintenance must be performed by persons certified for asbestos abatement projects. Accumulation of asbestos containing material is prohibited. If you have asbestos questions, contact the LRAPA office identified below.
- 5.4 Permit Availability** The permittee must have a copy of the permit available at all times.
- 5.5 LRAPA Inspections** The permittee must allow the LRAPA's representatives access to the plant site and pertinent records at all reasonable times for the purposes of performing inspections, surveys, collecting samples, obtaining data, reviewing and copying air contaminant emissions discharge records and conducting all necessary functions related to this permit.
- 5.6 Legal Disclaimers** The issuance of this permit does not convey any property rights in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of federal, state, or local laws or regulations.
- 5.7 Permit Revocation** This permit is subject to revocation for cause.
- 5.8 LRAPA Contact** Call the LRAPA office in Springfield at (541) 736-1056.

Lane Regional Air Protection Agency

**BASIC
 AIR CONTAMINANT DISCHARGE PERMIT
 REVIEW REPORT**

Fuller Cabinets
 90472 Woodruff Street
 Eugene, Oregon 97401
 541-687-2841
<http://www.fullcab.com/>

Reports			NSPS	Size	LRAPA Title 31 Public Notice
Annual	Semi-annual	Excess Emissions			
x	N/A	N/A	N/A	B	Category 1

1. The proposed permit is a new permit for an existing facility.
2. The permittee operates an office cabinet and similar product manufacturing facility. The facility uses approximately 35 gallons per month of VOC contaminant coatings per month. The facility uses paint booth(s) with filters.
3. This facility qualifies for a Basic ACDP because the expected usage of coating materials will be less than 250 gallons VOC per month and finished product will be less than 25,000 board feet per 8 hour input. The permit limits the annual coating usage and board feet production to these amounts, respectively. An annual report submittal is required to confirm the suitability of the Basic permit category for the facility. Should the production limits be exceeded, a General ACDP may be required.
4. The source is located in an attainment area for all pollutants except for PM₁₀. The Eugene Springfield Urban Growth Area is a nonattainment area for PM₁₀.
5. LRAPA has determined that sources that qualify for a Basic ACDP will not have significant emissions. In most cases the emission will not exceed 5 tons of PM or PM₁₀ or 10 tons of any other pollutant. Therefore, the Basic ACDP does not include Plant Site Emission Limits and it is not necessary to estimate emissions for each individual source.
6. Pursuant to LRAPA Section 37-0056(4), issuance of a new or renewed Basic Air Contaminant Discharge Permit requires public notice in accordance with LRAPA Section 31-0030(3)(a). Therefore, there will be no prior notice or public participation. However, LRAPA will maintain a list of all permit actions processed under Category 1 and make the list available for public review.

Max/rci
 04/26/13