



April 12, 2024

Email

Courtney Griesel
Oregon Community Relations Manager
Seneca Sawmill Company
P.O. Box 851
Eugene, OR 97440

Re: LRAPA Approval of Cleaner Air Oregon Risk Assessment

Dear Courtney Griesel:

Lane Regional Air Protection Agency (LRAPA) has completed the review of the Level 3 Risk Assessment submitted on April 1, 2024 by Seneca Sawmill Company (SSC) in Eugene, Oregon as part of the Cleaner Air Oregon (CAO) program. LRAPA concludes that the Level 3 Risk Assessment is complete and satisfies the CAO requirements for performing a risk assessment pursuant to OAR 340-245-0050. The results of the risk assessment demonstrate that the facility has an excess cancer risk less than or equal to the Source Permit Level of 5 for an existing source. The results of the risk assessment demonstrate that the facility has a Noncancer Hazard Index (HI) risk above the Source Permit Level of 0.5 but less than or equal to the Community Engagement Level of 1 for the acute scenario at an existing facility. SSC will require a Toxic Air Contaminant Permit Addendum (TACPA).

The next step in the CAO review process is for SSC to submit an application for a TACPA as required under OAR 340-245-0100 using [Form AQ501](#) and submit the appropriate fee under LRAPA section 37-8030, Table 3. Because SSC conducted a Level 3 Risk Assessment and the facility is not de minimis under CAO, the fee for a source that holds or has applied for a Title V permit is \$19,900. The TACPA and the appropriate fee must be submitted to LRAPA no later than May 11, 2024.

Please contact LRAPA with any questions or clarifications regarding this letter. Failure to provide additional information, corrections or updates required by LRAPA may result in a violation of OAR 340-245-0030(1). LRAPA appreciates SSC's efforts in complying with Cleaner Air Oregon.

Sincerely,

Max Hueftle, P.E., BCEE
Operations Manager

Cc: Bill Powell, SSC (via email)
Brandon Mainard, SSC (via email)
Travis Quarles, Bridgewater Group (via email)